

PAPER • OPEN ACCESS

## Universitas Riau International Conference on Science and Environment 2021 (URICSE-2021)

To cite this article: Nur Islami *et al* 2021 *J. Phys.: Conf. Ser.* **2049** 011001

View the [article online](#) for updates and enhancements.

You may also like

- [International Seminar on Science Education](#)
- [International Conference on Science and Applied Science 2017](#)
- [Nitrogen: a possible substitute for mercury as a UV-emitter for mercury-less low-pressure discharge fluorescent lamps using Penning-like energy transfer](#)  
Masafumi Jinno, Shuji Takubo, Yuji Hazata et al.



The Electrochemical Society  
Advancing solid state & electrochemical science & technology

243rd Meeting with SOFC-XVIII

Boston, MA • May 28 – June 2, 2023

Accelerate scientific discovery!

Learn More & Register



## Universitas Riau International Conference on Science and Environment 2021 (URICSE-2021)

**Nur Islami, Roza Linda, Neni Hermita, Novitri, Dahnil Syah, Ninik Nihayatul Wahibah, Alfuzanni**

Universitas Riau, Pekanbaru, 28293, Indonesia

nurislami@lecturer.unri.ac.id

The Universitas Riau International Conference on Science and Environment 2021 (URICSE-2021) was successfully held 11 September 2021 at the Universitas Riau, Pekanbaru, Indonesia. The events brought together academia, professional and researcher and students with interests on Science and Environment, thus offering them the opportunity to share and discuss their last research and findings, as well as to facilitate and encourage their mutual cooperation. This Proceedings issue compiles oral presentations that were submitted by the authors and rigorously reviewed by a special committee.

The URICSE-2021 was organized by the Institute of Research and Community Services Universitas Riau, Indonesia with the theme of conference is Elevating Science and Environmental Quality for Sustainable Life.

The URICSE-2021 committee would like to thank you to all participant in the Universitas Riau International Conference on Science and Environment 2021 which has been held using Zoom application of Virtual Conference mode due to there is no allowance for gathering as impact of the Corona virus pandemic.

In this URICSE, we have invited 4 honourable keynote speakers. Prof. Dr. Yatimah Alias from University of Malaya, Malaysia, Prof. Dr. dr. Dedi Afandi, DFM, SpFM(K) from Universitas Riau, Indonesia, Prof. Dr. Erol Kurt from Gazi University, Turkey, and Prof. Dr. Yamamoto Koichi, from Yamaguchi University, Japan. All the keynote speakers talks have took place in the plenary session.

We would like to inform that the committee received a number of 191 full papers from Colombia, Russia, China, Vietnam, Iraq, Japan, Turkey, Malaysia and Indonesia. However, after reviewing; a total of 163 papers have been accepted for oral presentation, which is divided into 12 parallel sessions. All the accepted paper will be submitted to Journal of Physics: Conference Series of IOP Publishing.



## Organizing Committee

### Patron

Prof. Dr. Ir. H. Aras Mulyadi, M.Sc

### General Advisor

Prof. Dr. H. M. Nur Mustafa, M.Pd

Prof. Dr. Sujianto, M.Si

Prof. Dr. Iwantono, M.Phil

Prof. Dr. Syaiful Bahri, M.Si

### Event Advisor

Prof. Dr. Almasdi Syahza, SE., MP

Conference Chair : Prof. Dr. Nur Islami, S.Si., MT

Secretary : Dr. Roza Linda, S.Si, M.Si

Treasurer : Brilliant Asmit, SP., MSM

Secretariat : Dr. Neni Hermita, S.Pd, M.Pd

Publication : Dr. Ninik Nihayatul Wahibah, S.P., M.Si

Hospitality : Dr. Dahnil Syah, S.S., MA

Technical Program: Dr. Novitri, Dra, M.App.Ling:

Event Coordinator : Dr. Dedi Irawan, S,Si., M.Sc.

Documentary : Alfuzanni, SE

## International Scientific Board

Prof. Dr. Saktioto, Universitas Riau, Indonesia

Prof. Dr. Eddy Syaputra, Universitas Riau, Indonesia

Prof. Dr. Maki Tsujimura, University of Tsukuba, Japan

Assoc. Prof. Dr. Samsudin Taib, University of Malaya, Malaysia

Assoc. Prof. Dr. Md Aminul Islam, Universiti Brunei Darussalam, Brunei Darussalam

Prof. Dr. Ismail Yusoff, University of Malaya, Malaysia

Prof. Dr. Titania Nugroho, Universitas Riau, Indonesia

Prof. Dr. Muhammad Aqeel Ashraf, China University of Geosciences, China

Dr. Ibrahim, Princes Narathiwat University, Thailand

Assoc. Prof. Yenita Roza, Ph.D, Universitas Riau, Indonesia

Dr. Rudy Hendra, Universitas Riau, Indonesia

Dr. Mohamad Faizal Tajul Baharuddin, Universiti Tun Hussein Onn Malaysia, Malaysia

Assoc. Prof. Dr. Minarni, Universitas Riau, Indonesia

Prof. Dr. Erwin, Universitas Riau, Indonesia

Assoc. Prof. Dr. Faridah Lisa Supian, Universiti Pendidikan Sultan Idris, Malaysia

Prof. Dr. Erman Taer, Universitas Riau, Indonesia



**Universitas Riau International Conference  
on Science and Environment 2021  
(URICSE-2021)**

**Theme  
Elevating Science and Environmental Quality  
for Sustainable Life**



**Pekanbaru, Indonesia**

**September 11, 2021**

**ORGANIZED BY  
Institute of Research and Community Services, Universitas Riau, Indonesia**

☐ **NOTICE:** We are aware of some users experiencing issues accessing content through Institutional single sign-on. Engineers are currently investigating the problem. We apologise for any inconvenience caused.

## Table of contents

Volume 2049

**2021**

◀ Previous issue      Next issue ▶

**Universitas Riau International Conference on Science and Environment 2021 (URICSE-2021)  
10-12 September 2021, Pekanbaru, Indonesia**

Accepted papers received: 29 September 2021

Published online: 25 October 2021

Open all abstracts

### Preface

OPEN ACCESS

011001

Universitas Riau International Conference on Science and Environment 2021 (URICSE-2021)

Nur Islami, Roza Linda, Neni Hermita, Novitri, Dahnil Syah, Ninik Nihayatul Wahibah and Alfuzanni

+ Open abstract       View article       PDF

OPEN ACCESS

011002

Peer review declaration

+ Open abstract       View article       PDF

### Science

OPEN ACCESS

012001

Integration of chirping and apodization of Topas materials for improving the performance of fiber Bragg grating sensors

T Saktioto, K Ramadhan, Y Soerbakti, D Irawan and Okfalisa

+ Open abstract       View article       PDF

OPEN ACCESS

012002

Application of Fiber Bragg Grating Sensor System for Simulation Detection of the Heart Rate

T Saktioto, F D Fadilla, Y Soerbakti, D Irawan and Okfalisa

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012003

### The Optimum Storage Conditions on the Quality of the Stingless bee Honey

Imron Meechai, Isma-ae Chelong and Romlee Chedoloh

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012004

### The Understanding of Undergraduate Physics Students Regarding the Super Blood Moon Total Lunar Eclipse Phenomenon May 26, 2021

N Suprpto and V K Yanti

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012005

### Evaluation of Soil Compaction Characteristics at a Construction Site in Al-Khalis City, Northeast of Iraq

Asem A. Hassan

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012006

### Effect of Magnesium Hydroxide on Flame Retardant Properties for Adhesive Materials by Solution Mixing Process

Abedeem Dasaesamoh, Ajaman Adair and Suradet Matchawet

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012007

### Low-cost activated carbon bio-wasted-based for enhanced capacitive properties of symmetric supercapacitor

Erman Taer, Tiara Elvelin Sugianti, Apriwandi, Ari Sulisty Rini, Usman Malik and Rika Taslim

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012008

### Porous Activated Carbon Binder-free *Scleria sumatrensis* Stem-Based for Supercapacitor Application

Erman Taer, Muhammad Ali Akbar Tsalis, Apriwandi, Novi Yanti, Awitdrus, Lazuardi and Rika Taslim

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012009

### Longan Leaves biomass-derived renewable activated carbon materials for electrochemical energy storage

Erman Taer, Desy Kristin Harida Tampubolon, Apriwandi, Rakhmawati Farma, Rahmondia Nanda Setiadi and Rika Taslim

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012010

### The Characteristics of Dielectric Barrier Discharge with Different Magnetic Field Intensity in Narrow Gap and Ozone Production

Fri Murdiya, Ivan Saputra, Agus Ernawan, Amir Hamzah, Firdaus and Ramdani

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012011

### In Silico Analysis Towards Exploring Potential $\beta$ Secretase 1 (BACE1) Inhibitors; The Cause of Alzheimer Disease

Neni Frimayanti, Fina Aryani, Nina Rishanti and Marzieh Yaeghoobi

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012012

### Proximate Analysis and Antioxidant Activity of Red Rice (*Oryza sativa* L.) Milk

Cokro Wijaya and Andreas Romulo

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012013

### Understanding the Evolutionary Track of Tau Sco

Singgih Prana Putra, Arwin Juli Rakhmadi Butar-Butar, Hariyadi Putraga and Muhammad Hidayat

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012014

### Smart Technologies, Artificial Intelligence, Robotics, and Algorithms (STARA) Competencies During COVID-19: A Confirmatory Factor Analysis using SEM Approach

Wayu Eko Yudiatmaja, Roy Valiant Salomo and Eko Prasajo

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012015

### Determination of Pb(II) ion Adsorption Isotherm Model by Regenerated Spent Bleaching Earth (RSBE)

Yusnimar, Dani Sasmita and Ahmad Fadli

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012016

### Schlumberger's Rules of Geolistic Resistivity Survey for the Study of Ground Water in Agricultural Land Palawija

Anisa Rahmalia and Muhammad Juandi

[+ Open abstract](#) [View article](#) [PDF](#)



- 
- OPEN ACCESS** 012017  
Coupling Backpropagation Neural Network and AdaBoost Algorithm for Quantitative Analysis of Nickel via Laser-Induced Breakdown Spectroscopy  
Edward Harefa and Weidong Zhou  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012018  
*Mangifera foetida* L. (Macang) Source of Potent Antiviral Activity of Against Dengue Virus Serotype 2 (Anti DENV2)  
Fitmawati, Maya Safitri, S.N. Kholifah, Emrizal and Rodesia Mustika Roza  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012019  
Less Expensive and Eco-Friendly Preparation of Activated Carbon Derived from Coffee Leaf as an Supercapacitors Electrode  
E Taer, E S Gultom, Agustino, R Taslim and W Febriani  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012020  
Use of Pulsed Electric Field for the Inactivation of *Eupenicillium Javanicum* Ascospores in Pineapple Juice  
Evelyn, Chairul, Komalasari, E Pebrianti and W Vazirani  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012021  
Study of Iron Oxide Nanoparticles Doped with Manganese for Catalytic Degradation of Methylene Blue  
Erwin Amiruddin, Amir Awaluddin, Salomo Sinuraya, Heri Hadiano, Muhammad Deri Nofardi and Ainun Syarifatul Fitri  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012022  
Interactive E-Module of Integrated Science with Connected Type as Learning Supplement on Energy Topic  
Roza Linda, Mas'ud, Zulfarina and Teja Pratama Putra  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012023  
Temperature Characteristics of Post-Harvest Technology Equipment Based on Biomass Waste Energy Using the Internet of Things Telecontrol System  
Juandi Muhammad, Joko Risanto and Gimin  
[+](#) [Open abstract](#) [View article](#) [PDF](#)

- 
- OPEN ACCESS** 012024  
Potential of *Bacillus cereus* SN7 as a Single Cell Protein Source  
F Feliatra, M Mardalisa, P R Mukti, V A Feliatra and I Effendi  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012025  
KOH Activation with Microwave Irradiation and its Effect on the Physical Properties of Orange Peel Activated Carbon  
Awitdrus, Gladys May Grace Siregar, Agustino, Saktioto, Iwantono, Romi Fadli Syahputra and Rakhmawati Farma  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012026  
Application of The Nearest Neighbor Algorithm for Classification of Online Taxibike Sentiments In Indonesia In The Google Playstore Application  
Sindy Genjang Setyorini and Mustakim  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012027  
Antioxidant Extraction from Purple Sweet Potato (*Ipomea batatas* l.) using Ultrasound Assisted Extraction (UAE)  
M. Yasser, M. Badai, Ridhawati Thahir, Arifah Sukasri and Kurniawan  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012028  
Fusion and Elongation Method Integrated with Vacuum System to Fabricate Single-Mode Fiber Couplers  
Dedi Irawan, Azhar, Sutoyo, Mustakim and Saktioto  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012029  
Resistivity characteristics of soil saturated with variation of salt water-fresh water mixture  
Nur Islami and Mitri Irianti  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012030  
Analyze Instructional Materials for Physics Modul Integrated Natural Disasters and Mitigation  
Naila Fauza, Dina Syaflita, Ernidawati, Diah Anugrah Dipuja, M. Yogi Ryantama Isjoni, Neni Hermita and Fanny Rahmatina Rahim  
[+](#) Open abstract [View article](#) [PDF](#)

**OPEN ACCESS**

012031

**Software Engineering Development of Finite Element Method Programming Applications in 2D Frame Structures Using Python Programs**

N Nazaruddin and Richard Siallagan

[+ Open abstract](#) [View article](#) [PDF](#)**OPEN ACCESS**

012032

**Design and Implementation of GeoGebra Learning Activities of Area and Perimeter of Rectangles for Primary School Students**

Zetra Hainul Putra, If Only Dia Panjaitan, Nur Aini Putri, Tengku Ririn Wulandari, Neni Hermita and Dahnilsyah

[+ Open abstract](#) [View article](#) [PDF](#)**OPEN ACCESS**

012033

**Effect of Application of Mesoporous Silica on Titanium Dioxide Sulfate catalyst for Synthesis of Palmitate Ethyl Ester as Biodiesel**

J Manga and Hb. S Yulistiono

[+ Open abstract](#) [View article](#) [PDF](#)**OPEN ACCESS**

012034

**Effects of The Addition of Complexing Agents on Curcumin Stability Using Accelerated Shelf Life Testing**

Alvin Pranata and Reggie Surya

[+ Open abstract](#) [View article](#) [PDF](#)**OPEN ACCESS**

012035

**Matoa Fruit peel-based Activated Carbon and its Application as an Electrode Materials in Supercapacitor Devices**

Erman Taer, Agustino and Rika Taslim

[+ Open abstract](#) [View article](#) [PDF](#)**OPEN ACCESS**

012036

**Development of 3D Physics Learning Media using Augmented Reality for First-year Junior High School Students**

Azhar, Poppy Herfana, Muhammad Nasir, Dedi Irawan and Nur Islami

[+ Open abstract](#) [View article](#) [PDF](#)**OPEN ACCESS**

012037

**Effect of Temperature on Lignin Isolation by Using Organosolv Method from Oil Palm Empty Fruit Bunch**

A Pramana, Y Zalfiatri and E O Sari

[+ Open abstract](#) [View article](#) [PDF](#)

- 
- OPEN ACCESS** 012038  
The Effect of Hydrogen Peroxide on Catalytic Activity of Manganosite MnO/Oil Palm Fly Ash Catalyst for Degradation Methylene Blue  
Yunisa Sandani, Nurhayati, Erwin Amirudin, Riska Anggraini, Siti Saidah Siregar and Amir Awaluddin  
[+ Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012039  
The Effect of Support on the Catalytic Efficiency of MnO<sub>2</sub>/Activated Carbon for degradation of Methylene blue  
Aurora SD Yanti, Halida Sophia, Riska Anggraini, Siti Saidah Siregar and Amir Awaluddin  
[+ Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012040  
Application of biofertilizer and Local *Beauveria bassiana* Vuillemin on Growth, Production and Resistant of Red Chili Plants (*Capsicum annum* L.)  
Hapsoh, I R Dini and I. Ulfah  
[+ Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012041  
Extraction of Hydroxyapatite by Alkaline Acid from Budu Waste and Synthesis Using Calcination Method  
Hasan Daupor  
[+ Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012042  
Constructivism-Based Magnetic KIT Design as a Science Learning Media  
Muhammad Ridho, M. Rahmad and Sri Wulandari  
[+ Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012043  
Supercapacitor Cell Electrodes Derived from *Nipah Fruticans* Fruit Coir Biomass for Energy Storage Applications using Acidic and Basic Electrolytes  
Rakhmawati Farma, Ade Nur Indah Lestari and Irma Apriyani  
[+ Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012044  
A preliminary study of a landfill as a raw material for RDF: a case study in Medan City  
D A Rhoshenia, R Utami and H Khair  
[+ Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012045  
Pb Doping in Silicene Nanoribbons in the Presence of an External Electric Field

Hoang Van Ngoc

[+ Open abstract](#)[View article](#)[PDF](#)

---

**OPEN ACCESS**

012046

Decolorization Assay of the Anthraquinone Dye Acid Blue 25 by *Trichoderma asperellum* LBKURCC1 Crude Laccase Extracts

Raja Ifriadi, Miranti, Yuana Nurulita, Andi Dahliaty, Yanti and Titania T Nugroho

[+ Open abstract](#)[View article](#)[PDF](#)

---

**OPEN ACCESS**

012047

Hydroxyapatite Coating On 316L Stainless Steel Using Dip Coating Technique

Ahmad Fadli, Fransisca Kristin, Putri Arini, Wisrayeti, Silvia Reni Yenti and Rozanna Sri Irianty

[+ Open abstract](#)[View article](#)[PDF](#)

---

**OPEN ACCESS**

012048

Simple Amperometric Biosensor for Sucrose Concentration Measurement Based on Principal Component Analysis

Vira Annisa Rosandi, Tetty Marta Linda, Beny Agustirandi and Lazuardi Umar

[+ Open abstract](#)[View article](#)[PDF](#)

---

**OPEN ACCESS**

012049

Using Hawgent Mathematics Software to Help Primary School Students to Read Clocks

Jerito Pereira, Tang Jianlan, Tommy Tanu Wijaya, Aditya Purnama, Neni Hermita and Maximus Tamur

[+ Open abstract](#)[View article](#)[PDF](#)

---

**OPEN ACCESS**

012050

Synthesis, *in vitro* Antioxidant Activity, and Toxicity Evaluation of Hydrazone Derivatives Naphthalene-1-ylmethylene hydrazine

Jasril, E Juwiyatri, S N Fauza and N Afriana

[+ Open abstract](#)[View article](#)[PDF](#)

---

**OPEN ACCESS**

012051

High Potential of *Averrhoa bilimbi* Leaf Waste as Porous Activated Carbon Source for Sustainable Electrode Material Supercapacitor

E Taer, Nursyafni, Apriwandi and R Taslim

[+ Open abstract](#)[View article](#)[PDF](#)

---

**OPEN ACCESS**

012052

Green synthesis of Supercapacitor electrodes activated carbon from *Veitchia Merilli* Seed waste by a two-stages pyrolysis in integration

Rakhmawati Farma, Ficho Anggriawan, Irma Apriyani, Erman Taer, Awitdrus and Rahmondia Nanda Setiadi

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012053

**A Comparison of Bagging and Boosting on Classification Data: Case Study on Rainfall Data in Sultan Syarif Kasim II Meteorological Station in Pekanbaru**

A Adnan, A M Yolanda and F Natasya

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012054

**Fabrication of Carbon Electrodes from Sago Midrib Biomass with Chemical Variation for Supercapacitor Cell Application**

Rakhmawati Farma, Syarifah Famela Maurani, Irma Apriyani, Awitdrus, Yanuar and Ari Sulistyo Rini

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012055

**Comparison of Efficiency of Activated Carbon Between Coffee Grounds, Soybean Straw and Tea Leaves**

Paweena Dulyaseree, Firdaus Mahasae, Nufateehah Hayeekueji and Visittapong Yordsri

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012056

**Integrated Very Low Frequency and Geoelectrical Resistivity Methods to Study Possibility Shallow Groundwater Pathway in Bedrock Area**

Nur Islami and Mitri Irianti

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012057

**Comparison of Grayscale Value in T1-Weighted Pre- and Post-Contrast Brain MRI Images: with and without Fat Suppression Technique**

Isnindar Tandya Asri, Chomsin Sulistya Widodo and Yuyun Yueniwati Prabowowati Wadjib

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012058

**Item Analysis of Heat Transfer Concept Using Rasch Model in Elementary School**

N Hermita, S Sakinah, T T Wijaya, R Vebrianto, J A Alim, Z H Putra, N Fauza, D A Dipuja, J Pereira and C Jihe

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012059

**Design and Development of E-learning Devices Based on Massive Open Online Course (MOOC) on Static Fluids Material**

Andika Febrian, Yennita, Zuhdi Ma'ruf and Zulirfan

[+ Open abstract](#) [View article](#) [PDF](#)

- 
- OPEN ACCESS** 012060  
The Preliminary Studies on the Tremendous Degradation Rate of Methylene Blue with Cu-doped  $\alpha$ -MnO<sub>2</sub> Photocatalyst Under UV Light Irradiation  
Riska Anggraini, Siti Saidah Siregar, Amir Awaluddin and Amilia Linggawati  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012061  
Influencing Parameters for degradation of Methylene Blue using the catalyst bentonite supported manganosite MnO synthesized via facile, one-pot Sol-Gel Route  
Zulvi Erda, Nurhayati, Erwin Amirudin, Riska Anggraini, Siti Saidah Siregar and Amir Awaluddin  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012062  
The Utilization Silica from Oil Fly Ash as a Raw material for Paper Filler  
Alsep Satriawan, Muhdarina and Amir Awaluddin  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012063  
Physical and Numerical Simulation of Wave Transmission Over Submerged Breakwater  
Sigit Sutikno, Fajri Almanna, Rinaldi, Mubarak and Keisuke Murakami  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012064  
The Groundwater Analysis using Geoelectric Method Wenner Rules in Rejosari Village, Tenayan Raya Pekanbaru  
M Juandi and E N Ginting  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012065  
Development of Digital Simple Pendulum Learning Media  
Azizahwati Azizahwati, M. Rahmad and Rifki Zamri  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012066  
Nineth Grade Students Mistakes when Solving Congruence and Similarity Problem  
T T Wijaya, I I Mutmainah, N Suryani, D Azizah, A Fitri, N Hermita and M Tohir  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012067  
Activated Carbons (AC) Prepared by Direct CO<sub>2</sub> Activation of *Parsea Americana* seeds Biomass for Supercapacitor Electrodes  
Rakhmawati Farma, Ramadani Putri Anakis and Irma Apriyani

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012068

MQ-2 Gas Sensor using Micro Controller Arduino Uno for LPG Leakage with Short Message Service as a Media Information

Sohibun, I Daruwati, R G Hatika and D Mardiansyah

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012069

Of ZnO Nanoparticle using Sandoricum Koetjape Peel Extract as Bio-stabilizer under Microwave Irradiation

A S Rini, Y Rati and S W Maisita

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012070

Analysis of Groundwater Infiltration using the Schlumberger Geoelectric Method

M Juandi and S A Santoso

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012071

Physical Modelling for the Analysis of Wave Characteristics on Tropical Peat Coast

Sigit Sutikno, Ilham Ziaulhaq, Rinaldi and Koichi Yamamoto

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012072

*Etilingera elatior* leaf agricultural waste as activated carbon monolith for supercapacitor electrodes

E Taer, E Padang, N Yanti, Apriwandi and R Taslim

[+ Open abstract](#) [View article](#) [PDF](#)

---

## Environment

---

OPEN ACCESS

012073

Modeling of Clavulanic Acid Production from *Streptomyces clavuligerus* using a Continuous Operation Mode

L Ariza, J Rubio, V Moreno, L Niño and G Gelves

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012074

Community-Based Mangrove Forest Management as Ecosystem Services Provider for Reducing CO<sub>2</sub> Emissions with Carbon Credit System in Bengkalis District, Riau, Indonesia

Nawari, Almasdi Syahza and Yusni Ikhwan Siregar



[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012075

Flexural Capacity of Concrete Beam Reinforced with GFRP Bars

Ridwan and Dhea Triviananda Putri

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012076

Modelling of DHA Production from *S. Limacinum* ouc88: fed-batch perspectives

B Contreras, D Basto and G Gelves

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012077

Condition and Stability of Plantations in the Zonal Ecotone of the Forest and Steppe of the Southern Urals

Victoria A. Simonenkova, Vladislav S. Simonenkov and Alexey Yu. Kulagin

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012078

Operating Mode Effect on Lipids Production from *Rhodotorula mucilaginosa*: Modelling and Simulation Trends

L Cardozo, K Duran and G Gelves

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012079

Trees and Bushes in the Bolshoi Uran River Basin (Orenburg Region)

Zinaida N. Ryabinina, Julay Z. Tabuldin, Gulfiya A. Markova, Elena M. Anhalt, Larisa A. Dobrodomova, Elena A. Nikonova and Railya G. Kalyakina

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012080

Assessment of Seismic Vulnerability of Reinforced Concrete Building Frames Based on European Macroseismic Scale (Case Study of Siak Regency Government Building)

Emiral Akbara, Zulfikar Djauhari and Alex Kurniawandy

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012081

The Effect of Technical Natural Rubber Mastication with Wet Process Mixing on the Characteristics of Asphalt-Rubber Blend

Bahrudin, Arya Wiranata and Alfian Malik

[+ Open abstract](#) [View article](#) [PDF](#)

- 
- OPEN ACCESS** 012082  
Characteristics of Charcoal Briquettes Corn Cobs Charcoal with the Addition of Areca Peel Charcoal  
Muhammad Satria, Noviar Harun, Faizah Hamzah and Angga Pramana  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012083  
Prepare and Utilize Mesoporous Silica SBA-15 for Efficient Photocatalytic Adsorption of Methylene Blue and Copper(II)  
Indah Raya, Nursiah La Nafie, Ridhawati Thahir, M. Yasser and Syarif Ismail  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012084  
Dynamic Simulation of Bioethanol Production from Banana Rejected using Flocculating Yeast  
J Contreras, Y Haro and G Gelves  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012085  
Design and Development of a Website-based Palm Oil Industry Liquid Waste Monitoring System  
Yusnita Rahayu, Jodi Wijaya, Ery Safrianti, Feranita, Salhazan Nasution and Suwitno  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012086  
Computer-Aided Evaluation of Ethanol Production from a Continuous Operating Mode using Simulink  
K Alvarado, L Niño and G Gelves  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012087  
Utilization of Pozzolanic Material to Improve the Mechanical Properties of Crumb Rubber Concrete as Rigid Pavement – A Review  
H Abdurrahman, N Rizaldi, M F Wijaya, M Olivia and G Wibisono  
[+](#) [Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012088  
Durability of Fly Ash Geopolymer Hybrid Concrete in Seawater, Sulfuric Acid, and Fire Resistant – A Review  
Niko Rizaldi, Habib Abdurrahman, Miguel Felix Wijaya, Gunawan Wibisono and Monita Olivia  
[+](#) [Open abstract](#) [View article](#) [PDF](#)

- 
- OPEN ACCESS** 012089  
Effect of Adding Fe<sub>3</sub>O<sub>4</sub> in Graphene/TiO<sub>2</sub>/Fe<sub>3</sub>O<sub>4</sub> Composite for Phenol Photodegradation Application  
D Heltina, N Adharianti, D G Randa and Komalasari  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012090  
Mechanistic Rheological Evaluation of Asbuton Modified Asphalt on Stiffness Modulus of Asphalt  
Fitra Ramdhani, Harmein Rahman and Bambang Sugeng Subagio  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012091  
Dynamic Modeling of Tannase Production from *Bacillus cereus*: A Framework Simulation based on Fed Batch Strategy  
D Mendoza, L Niño and G Gelves  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012092  
Opacity and Washability Properties of Emulsion Paint with Natural Rubber Latex/Polyvinyl Acetate Blend Binder  
Bahruddin, Zuchra Helwani, Ivan Fadhillah, Raysa, Rumi, Arya Wiranata and Joni Miharyono  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012093  
Cellulase Production from *Trichoderma harzianum*: a Framework Modeling for Evaluating Different Operating Mode Strategies  
D Mora, F Carrillo and G Gelves  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012094  
Coconut Fiber Extraction using Soda Pulping Method as Green Corrosion Inhibitor for ASTM A36 Steel  
Zultiniar, Muhammad Kurnia Sandy, Ervan Wibowo, Desi Heltina and Komalasari  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012095  
Efforts to Prevent Land Fires through the Use of Potential Peatlands in Coastal Areas  
Almasdi Syahza, Besri Nasrul, Suwondo, Mitri Irianti and Geovani Meiwanda  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012096

# Simulation Modelling of Traffic Flows in the Central Business District Using PTV Vissim in Pekanbaru, Indonesia

Ari Sandhyavitri, Agru Maulana, Muhammad Ikhsan, Agus Ika Putra, Rizki Ramadhan Husaini and Fajar Restuhadi

[+ Open abstract](#)   [View article](#)   [PDF](#)

## JOURNAL LINKS

---

[Journal home](#)

---

[Journal Scope](#)

---

[Information for organizers](#)

---

[Information for authors](#)

---

[Contact us](#)

---

[Reprint services from Curran Associates](#)



PAPER • OPEN ACCESS

## Prepare and Utilize Mesoporous Silica SBA-15 for Efficient Photocatalytic Adsorption of Methylene Blue and Copper(II)

To cite this article: Indah Raya *et al* 2021 *J. Phys.: Conf. Ser.* **2049** 012083

View the [article online](#) for updates and enhancements.

### You may also like

- [Facile synthesis of Ag-CuO/SBA-15 for aerobic epoxidation of olefins with high activity](#)  
Ang Li, Yin Hai Tang, Cheng Dong *et al.*
- [Bioinspired growth of iron derivatives on mesoporous silica: effect on thermal degradation and fire behavior of polystyrene](#)  
Zhi Li, Jing Zhang, Shibin Nie *et al.*
- [Synergistic Effect of Ethylene Glycol and Active Surface Group of SBA-15 under Ultrasound to Improve Catalytic Properties of Pd/SBA-15](#)  
Xuhui Liu and Xuefeng Bai



**IOP ebooks™**

Bringing together innovative digital publishing with leading authors from the global scientific community.

Start exploring the collection—download the first chapter of every title for free.

# Prepare and Utilize Mesoporous Silica SBA-15 for Efficient Photocatalytic Adsorption of Methylene Blue and Copper(II)

Indah Raya<sup>1</sup>, Nursiah La Nafie<sup>1</sup>, Ridhawati Thahir<sup>2,\*</sup>, M. Yasser<sup>2</sup>, Syarif Ismail<sup>3</sup>

<sup>1</sup>Department of Chemistry, Faculty of Mathematics and Natural Sciences, Hasanuddin University, Makassar, 90245, South Sulawesi, Indonesia.

<sup>2</sup>Department of Chemical Engineering, Politeknik Negeri Ujung Pandang, Makassar, 90245, South Sulawesi, Indonesia.

<sup>3</sup>Department of Agricultural, Politeknik Pertanian Negeri Pangkajene Kepulauan, Pangkep, 90655, South Sulawesi, Indonesia.

ridha331@poliupg.ac.id

**Abstract.** This work has provided a novel technique for preparation, characterization, and utilization of mesoporous silica SBA-15 in waste treatment to remove methylene blue as an organic pollutant and copper(II) as inorganic pollutant sampling with a photocatalytic adsorption system. To process of mesoporous silica SBA-15 was prepared by the sol-gel method for Pluronic as a surfactant template and following the hydrothermal process to high interaction between Pluronic and tetraethyl ortho silicate (TEOS) as precursor reagent. The proceed materials were characterized by the surface analyzer, X-ray diffraction, and Fourier transform infrared. Mesoporous silica SBA-15 was obtained with hexagonal structure having 72 percent amorphous content, high surface area, large pore-volume, approximately 948 m<sup>2</sup>/g, and 1.3 cm<sup>3</sup>/g. The second major finding was that mesoporous silica SBA-15 have a high photocatalytic adsorption capacity to remove methylene blue and copper(II). These present results suggest several courses of action in order to utilize SBA-15 samples in waste treatment.

## 1. Introduction

Mesoporous materials are a product of science and technology development that can produce produce new materials which different properties from similar product of macroporous. One of the most significant current discussions in nanotechnology development is mesoporous materials, from silica family Santa Barbara Amorphous (SBA-15), SBA-16, mobil composition of matter No. 41 (MCM-41), and MCM-48. The mesoporous materials are important for a wide range of scientific and industrial processes. Mesoporous silica SBA-15 materials are among the most widely used for more applications, such as filters, catalysts, adsorbents [1], capacitors [2], and supported framework material [3]. Utilizing mesoporous silica SBA-15 as adsorbent, has long been a question of great interest in a wide range of fields [4,5]. The adsorption capacity of silica SBA-15 has been the subject of much systematic investigation.

Recently investigators have examined the effects of preparation variables of SBA-15. Previous research comparing the time and temperature of hydrothermal treatment has found high surface area analysis [6,7]. Determining the impacts of surface area on photocatalytic adsorption for the future to



increase the application efficiency of silica SBA-15. It has been suggested that high surface area of silica SBA-15 materials can be applied as an adsorbent in environmental pollution removal systems such as methylene blue, azo color effluent [8,9], removal of copper(II) [10,11] and heavy metal of Pb(II) from water solution [12].

Methylene blue dye is a synthetic organic substance that is employed as a dye in the batik craft, paper industry, and cosmetics. Effluent industrial waste that still contains MB can pollute the environment. Based on Government Regulation No. 82 of 2001 concerning water quality criteria, the parameter of the organic matter content of MBAS (methylene blue active substance) in water is 200 $\mu$ g/L. Some waste treatment systems before being discharged into the environment can be carried out through precipitation methods using coagulant, ultrafiltration, photocatalytic degradation, and adsorption process [13]. The system for processing pollutants through the deposition process followed by coagulation can be applied if the pollutant content is more than 1000 mg/L [14]. The adsorption method is an alternative treatment system for pollutants to adsorb methylene blue dye [15]. Silica SBA-15 used as methylene blue and copper(II) adsorbents are based on catalytic properties, crystallinity, crystalline phase, and surface active side. Methylene blue dye and copper(II) photodegradation are a degradation processes employing visible light. In addition, silica SBA-15 materials are non-toxic oxides, have high thermal stability, and possess high oxidation capabilities. The photodegradation process is applied to remove pollutants from organic pollutants and copper(II) as inorganic pollutant sampling with photocatalytic adsorption system into compounds that are more environmentally friendly.

In this study, preparation of silica SBA-15 was carried out using Pluronic as a surfactant, and TEOS precursor as a source of silica in sol-gel method and following hydrothermal treatment. Characteristic analysis of silica SBA-15 includes determining particle size, phase, and crystal structure. The application of silica SBA-15 as adsorbent methylene blue dye and copper(II) was conducted to assess the extent to which adsorption efficient.

## 2. Methodology

### 2.1. Chemical reagents

The raw material of the chemical reagents which were analytical grade without further purification. The raw materials of mesoporous silica SBA-15 were synthesized using Pluronic (P123, Sigma-Aldrich, Singapore), tetraethyl orthosilicate (TEOS, 98% Sigma-Aldrich, Singapore), hydrochloric acid (HCl, 37% Merck), ammonium fluoride (NH<sub>4</sub>F), and heptane were obtained from J.T. Baker.

### 2.2. Preparation of silica SBA-15 adsorbents

A variety of methods are used to prepare mesoporous silica SBA-15. Each has its advantages and drawbacks. Many research has prepared mesoporous materials to synthesis silica SBA-15. The procedure of this work was modified from Thahir et al, Liang Cao et al, and Emma et al [7,16,17]. The chemical reagents were substituted for TMOS as a precursor with TEOS and triisopropyl benzene as micelle expander with heptane. In order to understand how Pluronic as surfactant template regulates the mesoporous structure, a series of procedures was done. In one step, Pluronic (2.4 g) and ammonium fluoride (0.027 g) were added to 1.3 M of HCl solution (84 ml). Following this, the mixture was stirred until clear at ambient temperature. After that, prepare the initial temperature of the solution at 15°C for Sample E and 10°C for sample F and put it in a water bath for 1 h. In the other place, heptane (1.2 mL) was dissolved in TEOS (3.7 mL) as silica precursor and added to the surfactant solution. The samples were stirred overnight at the initial temperature. In this work, the interaction of the surfactant template and silica precursor with the hydrothermal process in a closed teflon. To prepare initial temperature and condition of hydrothermal treatment are set out in Table 1. The gel product was washed with deionized water until pH 5 was obtained. In the end, the products were dried at 60°C overnight. The calcination process can be done to remove the surfactant template at 550°C for 5 h.



**Table 1.** Preparation condition of silica SBA-15

No	Name of sample	Initial temperature, °C	Temperature of hydrothermal treatment, °C	Time of hydrothermal treatment, hour
1	SBA-15 E	15	120°C	48
2	SBA-15 F	10	100°C	96

### 2.3. Characterization

Using X-ray diffraction (XRD) and looking at the actual mesostructure of silica SBA-15 samples was obtained by Bruker D8 Phaser diffractometer system with Cu K $\alpha$  radiation with 1.5406 Å, k $\beta$  1.3922 Å, 20 mA, and run at 40 kV. The XRD patterns were analyzed with wide-angle in the range 5 to 90° of 2 $\theta$  at any rate of 0.02° for the time step 1 s. To determine specific surface area and parameters of pore size, a question asking nitrogen adsorption-desorption isotherm with Quantachroma NovaWin instruments 11.0 at -196°C was used. To calculate pore size distribution, adsorption data with the BJH method was developed. The specific surface area was determined with the multi-point BET method [18,19]. The spectrum data was recorded using Prestige-21 Shimadzu infrared spectroscopy to identify various functional group and types of bonding of the samples in the range of wave numbers 500-4000 cm<sup>-1</sup>.

### 2.4. Application of silica SBA-15 on adsorption experiments

To remove organic and inorganic pollutants, methylene blue dye (MBD) and Cu(II) were preferred as a sampling of pollution control by mesoporous silica SBA-15. The adsorption process was prepared according to the procedure used by Thahir et al. [20]. Two different stock solutions of 100 mg/L of MBD and 500 mg/L of Cu(II) were provided to dissolved in a variety of requisite times. In order to investigate the adsorption efficiency of silica SBA-15 as adsorbent, specified the varieties of adsorption times are 10, 20, 30, 40, 60, 120, and 180 minutes. A batch adsorption system was established to evaluate the effect of silica SBA-15 adsorbent at apparent pH 7 [21] in the box with 150 Watt Hg lamp. Firstly, 100 mg of silica SBA-15 adsorbent was dissolved in 100 mL of MB or Cu(II) solution with continuous stirred at 200 rpm at room temperature. After that, centrifugation and filtration with Whatman paper filter to separate the solution. The filtrate was analyzed by spectrophotometer UV-vis double beam at the wavelength  $\lambda_{\max}$  = for MB solution and  $\lambda_{\max}$  = for Cu(II) solution.

Furthermore, to determine the percentage sorption (percent removal) of pollutant MB and Cu(II) on silica SBA-15 adsorbent were calculated as follows the equation:

$$\text{Adsorption efficiency, \%} = \frac{(C_i - C_o)}{C_i} \times 100$$


Where  $C_i$  and  $C_o$  are the initial and final pollutant concentration in the direct solution (mg L<sup>-1</sup>), respectively.

## 3. Results and Discussion

### 3.1. Characteristic analysis of silica SBA-15


Fourier transform infrared (FTIR) analysis was applied to determine the bond spectrum that occurred in the functional groups of Si-O, Si-OH, -OH, and Si-O-Si. The spectrum data of the silica SBA-15 sample were used to analyse the vibration peak of the materials. Figure 1, shows the Si-O spectrum at a wave number of 900-970 cm<sup>-1</sup>. The bond spectrum 800-810 cm<sup>-1</sup> indicates Si-O-Si. While Si-OH is in the spectrum 3440-3500 cm<sup>-1</sup> groups and water absorption on the surface of silica SBA-15 materials [22].

All spectrum data of functional group silica SBA-15 sample described as using some sort of hydrothermal treatment procedure were straight intensity in the analysis. One practical advantage of using a case study approach is that FTIR analysis of silica SBA-15 related for adsorption application.



**Figure 1.** The spectrum FTIR analysis of SBA-15 samples

Analysis of phase characteristics and shape of the silica SBA-15 samples, the crystal structure was carried out using wide-angle X-ray diffraction. Figure 2, shows the peak shape of XRD diffraction results of SBA-15 F sample is sharper when compared to SBA-15 E samples.




**Figure 2.** The diffraction of XRD analysis of SBA-15 samples

This is consistent with research conducted by Morsi et al. 2018. Heating at higher temperatures will produce more perfect crystals [23]. The crystal structure of the silica SBA-15 E and SBA-15 F samples has the same hexagonal shape and amorphous phase. In addition, the hydrothermal process in closed teflon can produce small nucleation. Particle size control can be conducted from precursor and surfactant preparations.

The one peak diffraction of the SBA-15 sample in Figure 2 occurred at  $2\theta$ :  $23.1^\circ$  which was correlated with the intensity of the planar (100). The X-ray diffraction analysis D8-Phase Bruker have amorphous composition materials around 70.9% for the SBA-15 E and 70.2% for the SBA-15 F. The mesostructure analysis of silica SBA-15 samples is not significantly [6].

### 3.2. Compare multi-point BET analysis of silica SBA-15 as adsorbent application

The first set of questions object to analysis the surface area of silica SBA-15. Adsorption-desorption isotherm method for measuring pore size, pore volume, and specified surface area by multi-point BET. Figure 3 shows the result obtained from the adsorption-desorption isotherm preliminary analysis of silica SBA-15. In Figure 3, there is a clear trend of decreasing surface area for SBA-15 E sample. Taken together, these results provide important insights into the preparation condition of silica SBA-15. Comparison of the findings with those of other studies confirms for pore volume of silica SBA-15 samples [7]. Consistent with the kinds of literature, all SBA-15 samples have reported of hysteresis loop model of H1 and isotherm curve are IV type [24].



**Figure 3.** The adsorption-desorption isotherm curve of SBA-15 samples

What is surprising is that the pore diameter of SBA-15 E samples are 14.33 nm. This result may be explained by the same fact of the interaction of the Pluronic surfactant template and TEOS precursor

at hydrothermal treatment condition [7]. This is a particularly useful finding that the large pore diameter can be applied as an adsorbent to remove organic and inorganic pollutant.

**Table 2.** Multi-point BET analysis of silica SBA-15 sample


No	Name of sample	Multi-point analysis	BET	Before adsorption application	After adsorption application (SBA-15 E' and F')	Confirm of BET analysis
1	SBA-15 E (adsorption of MBD)	$S_{BET}$ , m <sup>2</sup> /g		494	493	stable
		Pore volume, cm <sup>3</sup> /g		1.70	0.86	decreased
		Pore diameter, nm		14.32	2.41	decreased
2	SBA-15 F (adsorption of Cu)	$S_{BET}$ , m <sup>2</sup> /g		948	594	decreased
		Pore volume, cm <sup>3</sup> /g		1.30	1.30	stable
		Pore diameter, nm		5.50	4.69	stable

The adsorption-desorption isotherm process was carried out to reduce the concentration of MBD and Cu(II) in the solution. Determination of initial and final concentration was employed using a uv-vis spectrophotometer.

**Table 3.** Preparation condition of silica SBA-15

Pollutant model	Name of sample	Adsorption times, minute	Initial concentration, ppm	Final concentration, ppm	Efficiency of the adsorption, %
MBD	SBA-15 E	10	100	25.11	74.89
		20		14.34	85.66
		30		12.26	87.74
		40		4.63	95.37
		60		3.85	96.15
		120		3.85	96.15
		180		3.73	96.27
	SBA-F	10	100	18.21	81.79
		20		14.00	86.00
		30		15.01	84.99
		40		11.98	88.02
		60		11.47	88.53
		120		11.47	88.53
		180		10.45	89.55
Cu(II)	SBA-15 E	10	500	13.57	97.23
		20		12.67	97.45
		30		12.52	97.50
		60		8.19	98.36
		120		7.45	98.51
		180		6.70	98.66
		SBA-F		10	500
	20		4.46	99.11	
	30		2.67	99.47	
	60		1.48	99.70	
	120		0.43	99.91	
	180		0.43	99.91	

The application of silica SBA-15 as adsorbent to trap effluent industrial waste. The efficient photocatalytic adsorption used to identify the multi-point BET method involved surface area, pore diameter, and pore volume of silica SBA-15. Table 3 compares the intercorrelation among the two different stock solutions of 100 mg/L of MBD and 500 mg/L of Cu(II).



**Figure 4.** The adsorption-desorption isotherm curve of SBA-15 samples

The methylene blue dye and copper(II) adsorption process on the surface of silica SBA-15 occurs because the adsorbent material is mesoporous material which allows the adsorption of industrial waste into the silica SBA-15 pore. In addition, there is an interaction of Si-O and Si-O-Si groups as active groups which play a role in the MBD and Cu(II) adsorption process. The studied parameter of the adsorption process was the efficiency of adsorption of silica SBA-15 [20,25].

Prior to analysing the interview data in Table 2 and Figure 4, the results were confirmed for a sampling of pollution control. On completion of the adsorption process, the multi-point BET of parameter estimation was carried out. When removing MBD as an organic pollutant model, it was important to large pore diameter and pore volume. Finally, questions were asked as to the role of the high surface area of SBA-15 can utilize to adsorb Cu(II) inorganic pollutant model. Overall, these results indicate that silica SBA-15 materials have more potential application in efficient photocatalytic adsorption of methylene blue dye and copper (II) solution. Further studies are required to establish the viability of adsorption capacity and morphology analysis of silica SBA-15.

#### 4. Conclusion

The purpose of the current study was to determine multi-point BET, characteristic analysis of silica SBA-15, and evaluate adsorption-desorption isotherm curve for measuring pore size, pore volume, and specified surface area on photocatalytic adsorption removal of methylene blue dye and copper (II) as pollutant industrial model. The current data highlight the importance of large pore diameter and pore volume to trap methylene blue dye and high surface area for active site to reduce copper (II).

#### References

- [1] Sabri A A, Albayati T M and Alazawi R A 2015 Synthesis of ordered mesoporous SBA-15 and its adsorption of methylene blue *Korean J. Chem. Eng.* **32** 1835–1841
- [2] Xing A, Tian S, Tang H, Losic D and Bao Z 2013 Mesoporous silicon engineered by the reduction of biosilica from rice husk as a high-performance anode for lithium-ion batteries *RSC Adv.* **3** 10145–10149
- [3] Khedary N H, Ghanem M A, Abdesalam M E and Al-Garadah M M 2018 Sequestration of CO<sub>2</sub> using Cu nanoparticles supported on spherical and rod-shape mesoporous silica *Journal of Saudi Chemical Society* **22** 343–351
- [4] Santos S M L, Cecilia J A, Vilarrasa-García E, Silva Junior I J, Rodríguez-Castellón E and Azevedo D C S 2016 The effect of structure modifying agents in the SBA-15 for its application in the biomolecules adsorption *Microporous and Mesoporous Materials* **232** 53–64
- [5] dos Santos S M L, Nogueira K A B, de Souza Gama M, Lima J D F, da Silva Júnior I J and de Azevedo D C S 2013 Synthesis and characterization of ordered mesoporous silica (SBA-15 and SBA-16) for adsorption of biomolecules *Microporous and Mesoporous Materials* **180** 284–292
- [6] Thahir R, Wahab A W, Nafie N L and Raya I 2019 Synthesis of high surface area mesoporous silica SBA-15 by adjusting hydrothermal treatment time and the amount of polyvinyl alcohol *Open Chemistry* **17** 963–971
- [7] Thahir R, W. Wahab A, L. Nafie N and Raya I 2019 SYNTHESIS OF MESOPOROUS SILICA SBA-15 THROUGH SURFACTANT SET-UP AND HYDROTHERMAL PROCESS *RJC* **12** 1117–1126
- [8] Dhmees A S, Khaleel N M and Mahmoud S A 2018 Synthesis of silica nanoparticles from blast furnace slag as cost-effective adsorbent for efficient azo-dye removal *Egyptian Journal of Petroleum*
- [9] Kachbouri S, Mnasri N, Elaloui E and Moussaoui Y 2018 Tuning particle morphology of mesoporous silica nanoparticles for adsorption of dyes from aqueous solution *Journal of Saudi Chemical Society* **22** 405–415
- [10] Knight A W, Tigges A B and Ilgen A G 2018 Adsorption of copper (II) on mesoporous silica: the effect of nano-scale confinement *Geochem Trans* **19** 13
- [11] Zhang Y-Z, Jin Y-Q, Lü Q-F and Cheng X-S 2014 Removal of Copper Ions and Methylene Blue from Aqueous Solution Using Chemically Modified Mixed Hardwoods Powder as a Biosorbent *Ind. Eng. Chem. Res.* **53** 4247–4253
- [12] Palos-Barba V, Moreno-Martell A, Hernández-Morales V, Peza-Ledesma C L, Rivera-Muñoz E M, Nava R and Pawelec B 2020 SBA-16 Cage-Like Porous Material Modified with APTES as an Adsorbent for Pb<sup>2+</sup> Ions Removal from Aqueous Solution *Materials* **13** 927
- [13] Ahmaruzzaman M 2011 Industrial wastes as low-cost potential adsorbents for the treatment of wastewater laden with heavy metals *Advances in Colloid and Interface Science* **166** 36–59
- [14] Barakat M A 2011 New trends in removing heavy metals from industrial wastewater *Arabian Journal of Chemistry* **4** 361–377
- [15] Muniandy S S, Kaus N H M, Jiang Z-T, Altarawneh M and Lee H L 2017 Green synthesis of mesoporous anatase TiO<sub>2</sub> nanoparticles and their photocatalytic activities *Royal Society of Chemistry* **7** 48083–48094

- [16] Cao L and Kruk M 2010 Synthesis of large-pore SBA-15 silica from tetramethyl orthosilicate using triisopropylbenzene as micelle expander *Colloids and Surfaces A: Physicochemical and Engineering Aspects* **357** 91–96
- [17] Johansson E M, Córdoba J M and Odén M 2009 Synthesis and characterization of large mesoporous silica SBA-15 sheets with ordered accessible 18 nm pores *Materials Letters* **63** 2129–2131
- [18] Storck S, Bretinger H and Maier W F 1998 Characterization of micro- and mesoporous solids by physisorption methods and pore-size analysis *Applied Catalysis A: General* **174** 137–146
- [19] Jaroniec M, Kruk M and Olivier J P 1999 Standard Nitrogen Adsorption Data for Characterization of Nanoporous Silicas *Langmuir* **15** 5410–5413
- [20] Thahir R, Bangngalino H, Wahab A W, Nafie N L and Raya I 2019 Direct synthesis of mesoporous TiO<sub>2</sub> using PVA as surfactant template and assessment of their photocatalytic activities *IOP Conf. Ser.: Mater. Sci. Eng.* **509** 012124
- [21] Kushwaha A K, Gupta N and Chattopadhyaya M C 2014 Removal of cationic methylene blue and malachite green dyes from aqueous solution by waste materials of *Daucus carota* *Journal of Saudi Chemical Society* **18** 200–207
- [22] Chaudhuri H, Dash S and Sarkar A 2015 Synthesis and use of SBA-15 adsorbent for dye-loaded wastewater treatment *Journal of Environmental Chemical Engineering* **3** 2866–2874
- [23] Morsi R E and Mohamed R S Nanostructured mesoporous silica: influence of the preparation conditions on the physical-surface properties for efficient organic dye uptake *Royal Society Open Science* **5** 172021
- [24] Sing K S W, Everett D H, Haul R A W, Moscou L, Pierotti R A, Rouquérol J and Siemieniewska T Reporting Physisorption Data for Gas/Solid Systems With Special Reference to the Determination of Surface Area and Porosity
- [25] Thahir R, Wahab A W, Nafie N L and Raya I 2019 Synthesis and Characterization of TiO<sub>2</sub> Nanoparticle as Adsorbent on The Treatment of Methylene Blue Dye Pollutant *Jurnal Rekayasa Kimia & Lingkungan* **14** 19–27